

**AHT**   
a member of **DAIKIN** group

**FIXWELL**  
www.fixwell.com.hk



**MIAMI**

*\_Refrigerators and freezers. Plug-in installation*

## Reliability, efficiency and selling space.

MIAMI stands for maximum energy efficiency and the very best innovations. A refrigerator/freezer of the "next generation".



### LOW COSTS

The low investment outlay and operating costs speak for themselves. In addition, the outer-skin condenser on MIAMI provides for completely maintenance-free refrigeration. Ready-to-connect installation means MIAMI can be used immediately.



### VISUAL MERCHANDISING

With its more deeply curved lid, MIAMI offers excellent visibility of the goods on display. Thanks to the stylish, curved, 3D glass side panel on the end cabinet, the height- and width-adjustable product racks and the LED interior lighting, products can be presented perfectly. Another practical feature is that the shapely, integrated end cabinet is also extra-deep, thereby providing maximum space for product presentation. Furthermore, the low front edge ensures optimum product accessibility. MIAMI has a smooth-running push-pull lid which ensures easy removal of merchandise.



### HIGH ENERGY SAVINGS

Save even more compared to conventional multi-unit systems, thanks to the sophisticated technology and design with AHT e-conomize. In addition, the electronically controlled, variable-speed compressor (VS) ensures maximum energy efficiency.



### ENVIRONMENT AND CLIMATE

MIAMI units are completely CFC- and HFC-free and use the ecologically harmless and natural refrigerant propane (R290). R290 has the lowest GWP on the market. This makes them particularly environmentally friendly.



### SEMI-AUTOMATIC DEFROSTING

Semi-automatic defrosting is possible in all temperature ranges. The constant temperature and high-quality plastic containers mean that the shelf life and hygiene of all products are always ensured. The plastic interior drip tray guarantees easy cleaning.



### COMPATIBLE WITH AMS

Our Active Monitoring System (AMS) allows us to detect problems before you notice them. As an essential add-on to all AHT products, the AMS makes it much easier for you to manage and monitor the AHT cooling systems in your stores.

## INDIVIDUAL BRANDING

AHT cooling units are constructed individually: Using our template, you create the design, then we apply it directly during production.



## TEMPERATURE RANGES

Cooling	+3°C to +15°C <sup>1</sup>
Freezing	-18°C to -23°C
Mince meat/meat chilling	0°C to +2°C

<sup>1</sup> Fixed preset that can be changed by a service technician

## USPs

### PERFECT PRODUCT PRESENTATION

The large, deeply curved, forward-facing, panoramic sliding glass covers optimise the merchandise presentation area and visibility of the unit interior. It also impresses with its low height and easy removal of the goods on display.

### SMALLER SIZE

Thanks to its compact dimensions, MIAMI is ideal for convenience stores, filling stations and other smaller spaces.





STANDALONE UNIT



IN-LINE UNIT



BLOCK INSTALLATION

## CONFIGURATIONS

Solo



Row




Block



Island



- \_ optionally with end cabinet on both sides
- \_ extendible with commercially available shelf attachments




## ACCESSORIES

- \_ Price display for end cabinet (suitable for high cover)
- \_ High cover (between the back-to-back units)
- \_ Low cover (between the back-to-back units)
- \_ Side cover (closes off the island at the sides)
- \_ Water protection strip (colour change on customer request)
- \_ Vario grid system (rack inserts & wire dividers) & wire basket inserts
- \_ Scanner strips
- \_ Impact protection
- \_ Compatible with the Active Monitoring System (AMS)
- \_ Colour and styling options tailored to customer requirements (housing, protective bumper strip, plastic parts in 2 standard colours)


MIAMI

EC 185



MIAMI

145 / 210 / 250



## DIMENSIONS

MIAMI		145	EC 185	210	250
Length, exterior / interior	mm	1,457 / 1,328	1,850 / 1,723	2,102 / 1,973	2,502 / 2,373
Depth, exterior / interior	mm	854 / 723	994 / 863	854 / 723	854 / 723
Height, front / rear	mm	727 / 833	722 / 834	727 / 833	727 / 833
Stacking height, front / rear	mm	510 / 510	480 / 480	510 / 510	510 / 510

Subject to technical changes; errors and omissions excepted. Version: 01/2022

**AHT**   
a member of **DAIKIN** group

AHT Cooling Systems GmbH  
Werksgasse 57  
8786 Rottenmann | Austria  
p. +43 3614 24 51-000  
sales@aht.at  
www.aht.at

**FIXWELL**

Fixwell Display System Co, Ltd  
Unit 1401, Westlands Centre,  
20 Westlands Road, Quarry Bay, Hong Kong.  
tel.: +852 2811 9381  
e-mail: sales@fixwell.com.hk  
www.fixwell.com.hk